WEST Search History

Hide Items	Restore	Clear	Cancel
		***************************************	***************************************

DATE: Thursday, November 04, 2004

Hide?	Set Name	Query	<u>Hit</u> Count
	DB=P	GPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=AND	
	L1	intimin.clm. same method.clm.	8
	L2	('6406885' '20030147902' '20040106118' '6261561' '20040086530' '20030023032' '20020160020' '20020006407')! PN.	14
	L3	11 and (antibod\$ or ivig or ig or immunity or passiv\$ or transfer\$).clm.	4
	L4	L3 and administ\$.clm.	. 4

END OF SEARCH HISTORY

Search Results - Record(s) 1 through 14 of 14 returned.

L2: Entry 1 of 14

File: PGPB

Jun 3, 2004

PGPUB-DOCUMENT-NUMBER: 20040106118 DOCUMENT-IDENTIFIER: US 20040106118 A1

TITLE: Method for exposing peptides and polypeptides on the cell surface of bacteria

bacteria

PUBLICATION-DATE: June 3, 2004

US-CL-CURRENT: <u>435/6</u> INT-CL: [07] <u>C12</u> Q <u>1/68</u>

L2: Entry 2 of 14

File: PGPB

May 6, 2004

PGPUB-DOCUMENT-NUMBER: 20040086530 DOCUMENT-IDENTIFIER: US 20040086530 A1

TITLE: Expression of immunogenic hepatitis B surface antigens in transgenic plants

PUBLICATION-DATE: May 6, 2004

US-CL-CURRENT: 424/227.1; 435/419, 800/288

INT-CL: [07] A61 K 39/29, A01 H 1/00, C12 N 15/82, C12 N 5/04

L2: Entry 3 of 14

File: PGPB

Aug 7, 2003

PGPUB-DOCUMENT-NUMBER: 20030147902 DOCUMENT-IDENTIFIER: US 20030147902 A1

TITLE: Method of stimulating and immune response by administration of host organisms organisms that express intimin alone of as a fusion protein with one of more other

antigens

PUBLICATION-DATE: August 7, 2003

US-CL-CURRENT: 424/185.1 INT-CL: [07] A61 K 39/00

L2: Entry 4 of 14

File: PGPB

Jan 30, 2003

PGPUB-DOCUMENT-NUMBER: 20030023032 DOCUMENT-IDENTIFIER: US 20030023032 A1

TITLE: LuxO-sigma54 interactions and methods of use

PUBLICATION-DATE: January 30, 2003

US-CL-CURRENT: $\underline{530/350}$; $\underline{435/320.1}$, $\underline{435/325}$, $\underline{435/69.1}$, $\underline{530/388.22}$, $\underline{536/23.5}$ INT-CL: [07] $\underline{C07}$ K $\underline{14/705}$, $\underline{C07}$ K $\underline{16/28}$, $\underline{C12}$ P $\underline{21/02}$, $\underline{C12}$ N $\underline{5/06}$, $\underline{C07}$ H $\underline{21/04}$

L2: Entry 5 of 14

File: PGPB

Oct 31, 2002

PGPUB-DOCUMENT-NUMBER: 20020160020

DOCUMENT-IDENTIFIER: US 20020160020 A1

TITLE: Enterohemorrhagic escherichia coli vaccine

PUBLICATION-DATE: October 31, 2002

US-CL-CURRENT: <u>424</u>/<u>257.1</u>; <u>435</u>/<u>252.33</u> INT-CL: [07] A61 K 39/108, C12 N 1/20

L2: Entry 6 of 14

File: PGPB

Jan 17, 2002

PGPUB-DOCUMENT-NUMBER: 20020006407 DOCUMENT-IDENTIFIER: US 20020006407 A1

TITLE: HISTIDINE-TAGGED INTIMIN AND METHODS OF USING INTIMIN TO STIMULATE AN IMMUNE

RESPONSE AND AS AN ANTIGEN CARRIER WITH TARGETING CAPABILITY

PUBLICATION-DATE: January 17, 2002

US-CL-CURRENT: 424/184.1

INT-CL: [07] $\underline{A61}$ \underline{K} $\underline{39}/\underline{00}$, $\underline{A61}$ \underline{K} $\underline{39}/\underline{38}$, $\underline{A61}$ \underline{K} $\underline{39}/\underline{02}$

L2: Entry 7 of 14

File: USPT

Jun 18, 2002

US-PAT-NO: 6406885

DOCUMENT-IDENTIFIER: US 6406885 B1

** See image for Certificate of Correction **

TITLE: Plants and plant cells expressing histidine tagged intimin

DATE-ISSUED: June 18, 2002

US-CL-CURRENT: 435/69.1; 435/410, 435/420, 435/69.3, 536/23.1, 536/23.2, 536/23.7

INT-CL: [07] C12 P 21/06

L2: Entry 8 of 14

File: USPT

Jul 17, 2001

US-PAT-NO: 6261561

DOCUMENT-IDENTIFIER: US 6261561 B1

TITLE: Method of stimulating an immune response by administration of host organisms that express intimin alone or as a fusion protein with one or more other antigens

DATE-ISSUED: July 17, 2001

US-CL-CURRENT: 424/184.1; 424/234.1, 435/252.3, 435/469, 435/470, 435/6, 435/69.1,

536/23.71, 800/288

INT-CL: [07] A61 K 39/395

L2: Entry 9 of 14

File: DWPI

Jun 3, 2004

DERWENT-ACC-NO: 2002-557723
ABSTRACTED-PUB-NO: WO 200253181A

COPYRIGHT 2004 DERWENT INFORMATION LTD

TITLE: Vaccine composition useful for eliciting immunological response in ruminant and for reducing colonization or shedding of enterohemorragic Escherichia coli, comprises enterohemorragic E. coli cell culture supernatant

INT-CL (IPC): $\underline{A61}$ \underline{K} $\underline{35/74}$, $\underline{A61}$ \underline{K} $\underline{39/108}$, $\underline{A61}$ \underline{K} $\underline{39/39}$, $\underline{A61}$ \underline{P} $\underline{31/00}$, $\underline{A61}$ \underline{P} $\underline{31/04}$, $\underline{C07}$ \underline{K} $\underline{1/02}$, $\underline{C07}$ \underline{K} $\underline{1/34}$, $\underline{C07}$ \underline{K} $\underline{14/245}$, $\underline{C12}$ \underline{N} $\underline{1/20}$

Derwent-CL (DC): B04, C06, D16

CPI Codes: B04-B04C; B04-F10A3; B10-A22; B14-A01A3; B14-G01; B14-S11B; B14-S12; C04-B04C; C04-F10A3; C10-A22; C14-A01A3; C14-G01; C14-S11B; C14-S12; D05-H07; D05-H08;

L2: Entry 10 of 14

File: DWPI

Jun 3, 2004

DERWENT-ACC-NO: 2002-435621 ABSTRACTED-PUB-NO: WO 200234906A

COPYRIGHT 2004 DERWENT INFORMATION LTD

TITLE: Cell-surface presentation of peptides or proteins, useful e.g. for isolating monospecific antibodies, comprises expression of a fusion sequence with truncated intimin, in bacteria

INT-CL (IPC): $\underline{\text{C07}}$ $\underline{\text{K}}$ $\underline{14/245}$, $\underline{\text{C07}}$ $\underline{\text{K}}$ $\underline{14/705}$, $\underline{\text{C07}}$ $\underline{\text{K}}$ $\underline{19/00}$, $\underline{\text{C12}}$ $\underline{\text{N}}$ $\underline{1/21}$, $\underline{\text{C12}}$ $\underline{\text{N}}$ $\underline{15/10}$, $\underline{\text{C12}}$ $\underline{\text{N}}$ $\underline{15/62}$, $\underline{\text{C12}}$ $\underline{\text{N}}$ $\underline{15/70}$, $\underline{\text{C12}}$ $\underline{\text{Q}}$ $\underline{1/02}$, $\underline{\text{C12}}$ $\underline{\text{Q}}$ $\underline{1/68}$

Derwent-CL (DC): B04, D16

CPI Codes: B04-E03B; B04-E08; B04-F10A0E; B04-G01; B04-H20; B04-N08; B11-C07; B11-C08E; B12-K04E; D05-H04; D05-H09; D05-H12A; D05-H12C; D05-H12E; D05-H17C;

L2: Entry 11 of 14

File: DWPI

Nov 15, 2001

DERWENT-ACC-NO: 2002-062235 ABSTRACTED-PUB-NO: WO 200185773A

COPYRIGHT 2004 DERWENT INFORMATION LTD

TITLE: New polypeptide, useful for producing antibodies, comprises the cNovel isolated sigma54 polypeptide and its conservative variants that interacts with LuxO

INT-CL (IPC): A61 K 38/17, A61 K 48/00, C07 H 21/04, C07 K 14/28, C07 K 14/705, C07 K 16/28, C12 N 5/06, C12 N 15/31, C12 P 21/02, C12 Q 1/68, G01 N 33/53 Derwent-CL (DC): B02, B03 , B04 , C06 , D16

CPI Codes: B04-C01G; B04-E03F; B04-E08; B04-F0100E; B04-F10; B04-G01; B04-N02A0E; B11-C07A; B11-C07B; B12-K04A4; B12-K04E; B14-A01; D05-C07; D05-C12; D05-H01; D05-H08; D05-H10; D05-H11; D05-H12A; D05-H12E; D05-H14A1; D05-H17A;

L2: Entry 12 of 14

File: DWPI

May 6, 2004

DERWENT-ACC-NO: 2000-452181

ABSTRACTED-PUB-NO: WO 200037610A

COPYRIGHT 2004 DERWENT INFORMATION LTD

TITLE: New expression vector for transforming plants comprising two expression cassettes useful for producing plant material comprising anti-hepatitis B antibodies

INT-CL (IPC): $\underline{A01}$ \underline{H} $\underline{1/00}$, $\underline{A01}$ \underline{H} $\underline{5/00}$, $\underline{A61}$ \underline{K} $\underline{35/78}$, $\underline{A61}$ \underline{K} $\underline{39/00}$, $\underline{A61}$ \underline{K} $\underline{39/29}$, $\underline{A61}$ \underline{K} $\underline{39/395}$, $\underline{A61}$ \underline{K} $\underline{48/00}$, $\underline{A61}$ \underline{P} $\underline{31/12}$, $\underline{C07}$ \underline{H} $\underline{21/04}$, $\underline{C07}$ \underline{K} $\underline{1/14}$, $\underline{C07}$ \underline{K} $\underline{14/47}$, $\underline{C07}$ \underline{K} $\underline{16/18}$, $\underline{C12}$ \underline{N} $\underline{0/00}$, $\underline{C12}$ \underline{N} $\underline{0/00000}$, $\underline{C12}$ \underline{N} $\underline{1/21}$, $\underline{C12}$ \underline{N} $\underline{5/04}$, $\underline{C12}$ \underline{N} $\underline{5/10}$, $\underline{C12}$ \underline{N} $\underline{15/09}$,

Record List Display Page 4 of 4

Derwent-CL (DC): B04, C06, D16, P13

CPI Codes: B04-A08C2; B04-A09; B04-C01; B04-E03F; B04-E07; B04-E08; B04-F08; B04-F10A3; B04-F11; B04-N01; B11-B; B14-A02A5; B14-S11A; C04-A08C2; C04-A09; C04-C01; C04-E03F; C04-E07; C04-E08; C04-F08; C04-F10A3; C04-F11; C04-N01; C11-B; C14-A02A5; C14-S11A; D05-H07; D05-H12A; D05-H12D6; D05-H12E; D05-H13; D05-H14A1; D05-H16B;

L2: Entry 13 of 14

File: DWPI

Aug 7, 2003

DERWENT-ACC-NO: 1997-535858 ABSTRACTED-PUB-NO: US 6261561B

COPYRIGHT 2004 DERWENT INFORMATION LTD

TITLE: DNA for expression of heterologous intimin in a plant - useful to stimulate immune response against entero-haemorrhagic Escherichia coli adherance protein in animals and/or humans

INT-CL (IPC): $\underline{A01}$ \underline{H} $\underline{5/10}$, $\underline{A61}$ \underline{H} $\underline{5/00}$, $\underline{A61}$ \underline{K} $\underline{38/16}$, $\underline{A61}$ \underline{K} $\underline{39/00}$, $\underline{A61}$ \underline{K} $\underline{39/02}$, $\underline{A61}$ \underline{K} $\underline{39/108}$, $\underline{A61}$ \underline{K} $\underline{39/395}$, $\underline{A61}$ \underline{P} $\underline{31/04}$, $\underline{C07}$ \underline{K} $\underline{14/415}$, $\underline{C12}$ \underline{N} $\underline{5/10}$, $\underline{C12}$ \underline{N} $\underline{15/09}$, $\underline{C12}$ \underline{N} $\underline{15/31}$, $\underline{C12}$ \underline{N} $\underline{15/82}$, $\underline{C12}$ \underline{P} $\underline{21/06}$

Derwent-CL (DC): B04, C06 , D16 , P13 , P33

CPI Codes: B04-E02F; C04-E02F; B04-F0800E; C04-F0800E; B14-A01A3; C14-A01A3; B14-G01; C14-G01; D05-H12E; D05-H14B3;

L2: Entry 14 of 14

File: DWPI

Oct 30, 1997

DERWENT-ACC-NO: 1997-535845

ABSTRACTED-PUB-NO: US20020006407A

COPYRIGHT 2004 DERWENT INFORMATION LTD

TITLE: Enriched or purified intimin protein and analogues, particularly coupled to histidine tag - useful for vaccination against bacteria, e.g. enterohaemorrhagic E. coli, and as carriers for other antigens or drugs for targeting the intestinal epithelium

INT-CL (IPC): A61 K 38/00, A61 K 38/16, A61 K 39/00, A61 K 39/02, A61 K 39/108, A61 K 39/38, A61 K 39/395, A61 P 37/00, C07 K 14/24, C07 K 14/245, C07 K 16/12, C12 N 15/09, C12 N 15/31, C12 N 15/62, C12 P 21/02, C12 P 21/08, C12 N 15/09, C12 P 21/02, C12 R 1:19

Derwent-CL (DC): B04, D16

CPI Codes: B04-G01; B04-N04; B14-S11B; D05-H04; D05-H07; D05-H11; D05-H17A5;

Previous Page Next Page